Yellow-headed, 252
Bluebird, Mountain, 231
Western, 263
Bluethroat, 7, 8, 37
Bobolink, 251, 260
Bombycilla cedrorum, 234
garrulus, 42
Booby, Blue-footed, 79, 87, 186, 325, 327, 328
Brown, 59, 60–61, 87–88, 109, 187, 195, 325, 326, 327, 328
Masked, 87, 104, 186, 194, 325, 327, 328
Nazca, 104
Red-footed, 88
Brabata, Georgina, see Sauma, L.
Brachyramphus brevirostris, 28
marmoratus, 28, 106
perdix, 106
Brambling, 47
Brant, 12, 176
Branta bernicla, 12, 176
canadensis, 12, 176
hutchinsii, 12, 78, 79, 175–176, 190
Bubo scandiacus, 30, 78, 79, 80, 97
Bubulcus ibis, 187–188
Bucephala clangula, 178
islandica, 259
Bunting, Indigo, 251, 314
Lark, 247, 254
Lazuli, 158, 172, 251
Little, 45, 46, 51
McKay's, 47
Painted, 80, 103, 108, 251
Reed, 46, 51
Snow, 46–47, 50, 102–103, 250, 257
Bushtit, 131, 287
Buteo albonotatus, 90
jamaicensis, 169, 170, 197, 198–199
lagopus, 17
platypterus, 196, 197, 314
regalis, 261
swainsoni, 259, 261
Butorides virescens, 188–189

Calamospiza melanocorys, 247, 254
Calcarius lapponicus, 45–46, 50, 250, 256
mccownii, 250, 256
ornatus, 250
Calidris acuminata, 22, 33, 49
alba, 21, 208
alpina, 22, 105, 209
bairdii, 21–22, 209
canutus, 21, 208
ferruginea, 94, 105
fuscicollis, 79, 94
himantopus, 105
mauri, 21, 209
melanotos, 22, 209
minutilla, 21, 49, 105, 209
ptilocnemis, 22, 33
pusilla, 261
ruficollis, 21, 32
subminuta, 21, 105
temminckii, 21, 49
tenuirostris, 21, 49
Callipepla californica, 160, 178
gambelii, 178
Calonectris diomedea, 78, 79, 84–85, 86, 104
leucomelas, 104, 259
Calypte anna, 218
costae, 218–219
Campylorhynchus brunneicapillus, 263
Canvasback, 258–259
Caracara cheriway, 78, 79, 89, 90–91, 93, 105, 108
Caracara, Crested, 78, 79, 89, 90–91, 93, 105, 108
Cardellina rubrifrons, 102
Carduelis carduelis, 78, 108, 263
flammea, 46, 48, 78, 79, 80, 93, 103
hornemanni, 46, 48
lawrencei, 258
pinus, 48, 258
psaltria, 258
tristis, 48, 258
Carmona, Roberto, see Sauma, L.
Carpodacus erythrinus, 47
mexicanus, 160, 170, 255, 257
purpureus, 47–48, 255
Castillo-Guerrero, José Alfredo, Eric Mellink, Erik Peñaloza-Padilla, and Miguel Prado-López, Anomalously pigmented Brown Boobies in the Gulf of California: Leucism and possible hybridization with the Blue-footed Booby, 325–328
Catbird, Gray, 232, 311
Cathartes aura, 191
Catharus fuscescens, 311
guttatus, 38, 232

minimus, 7, 38, 107
ustulatus, 38, 107, 232
Catherpes mexicanus, 263
Catoptrophorus semipalmatus, 207
Cepphus columba, 9, 27, 214
grylle, 27, 50
Cerorhinca monocerata, 170, 215
Ceryle alcyon, 219
Chaetura pelagica, 218
vauxi, 218
Charadrius alexandrinus, 141–143, 172, 200, 205
hiaticula, 18–19
leschenaultii, 94
mongolus, 18, 94
montanus, 105, 206
morinellus, 19, 49, 105
semipalmatus, 19, 205–206
vociferus, 206
Chat, Yellow-breasted, 242
Chen caerulescens, 11–12
canagica, 9, 11, 50, 82
rossii, 175
Chlidonias niger, 145, 214
Chondestes grammacus, 246
Chordeiles acutipennis, 262
minor, 262
Chukar, 178
Circus cyaneus, 195–196, 197
Cistothorus palustris, 231
Clangula hyemalis, 14–15
Coccyzus americanus, 216
Colaptes auratus, 220
Collared-Dove, Eurasian, 216
Columba livia, 29, 216
Columbina talpacoti, 96–97
Contopus cooperi, 30, 220
pertinax, 98
sordidulus, 98, 106, 221–222, 287
virens, 98, 106
Coot, American, 205
Coragyps atratus, 79, 90
Cormorant, Brandt's, 187
Double-crested, 170, 187
Pelagic, 9, 17, 187
Corvus brachyrhynchos, 170, 262
corax, 31, 50, 169, 170, 228
Coturnicops noveboracensis, 78, 79, 80, 90, 93–94
Cox, Cameron D., see Barry, J. H.
Cowbird, Bronzed, 252
Brown-headed, 47, 65, 131, 252, 287, 293
Crane, Demoiselle, 79, 109
Sandhill, 18
Crossbill, Red, 48
White-winged, 48
Crow, American, 170, 262
Cuckoo, Common, 29–30, 35
Oriental, 29–30, 35, 50, 51
Yellow-billed, 216
Cuculus canorus, 29
saturatus, 29, 50, 51
Curlew, Bristle-thighed, 20, 105
Long-billed, 208
Curson, David R., see Goguen, C. B.
Cyanocitta cristata, 314
stelleri, 292
Cygnus buccinator, 82
columbianus, 12
Cynanthus latirostris, 97

Dendrocygna autumnalis, 108, 317–321
Dendroica caerulescens, 235
castanea, 101, 238
coronata, 42, 235–236
discolor, 236, 238, 241
dominica, 101, 236
fusca, 107, 236
graciae, 101, 107
magnolia, 42, 235
nigrescens, 236
occidentalis, 236, 241
palmarum, 238
pensylvanica, 235
petechia, 42, 235
pinus, 96, 101
striata, 43, 238
tigrina, 235, 240
townsendi, 43, 236
virens, 236, 240
Dexter, Coen, see Faulkner, D.
Dickcissel, 251
Dickerman, R. W., *Sayornis saya yukonensis* is valid, 329–330
Dolichonyx oryzivorus, 251, 260
Dotterel, Eurasian, 19, 49, 105
Dove, Diamond, 263
Eurasian Collared, 216
Mourning, 216
Oriental Turtle, 78, 79, 96
Ruddy Ground, 96–97
Spotted, 261
White-winged, 216
Dovekie, 26
Dowitcher, Long-billed, 22–23, 209–210

Short-billed, 138, 209
Duck, Black-bellied Whistling, 108, 317–321
Falcated, 78, 79, 82–83, 85
Harlequin, 9, 14
Long-tailed, 14–15
Ring-necked, 177, 191
Ruddy, 178
Dumetella carolinensis, 232, 311
Dunlin, 22, 105
Dunn, Jonathan J., see Sullivan, B. L.

Eagle, Bald, 194–195
Golden, 261
Egret, Cattle, 187–188
Great, 187
Snowy, 187
Egretta thula, 187
tricolor, 89
Eider, Common, 14, 78, 79
King, 13–14, 83
Spectacled, 13, 50
Steller's, 13
Elanus leucurus, 192–193, 196
Emberiza pusilla, 45, 46, 51
schoeniclus, 46, 51
Empidonax alnorum, 106
difficilis, 31, 106, 160, 221–222
flaviventris, 92, 98, 106
hammondii, 106, 221
minimus, 30, 221, 310–316
oberholseri, 203, 221, 292
occidentalis, 31, 106
traillii, 221, 292
virescens, 292
wrightii, 221, 286–395
Eremophila alpestris, 31, 160, 170, 228
Eugenes fulgens, 78, 79, 92, 97–98
Euphagus carolinus, 47, 252, 260
cyanocephalus, 108, 252

Falco columbarius, 200, 202
mexicanus, 203
peregrinus, 18, 94, 128, 169, 202–203
rusticolus, 17–18, 93
sparverius, 199
Falcon, Gyr, 17–18, 93
Peregrine, 18, 94, 128, 169, 202–203
Prairie, 203
Faulkner, Doug, Coen Dexter, Rich Levad, and Tony Leukering, Black Phoebe breeding range expansion into Colorado, 114–120
Ficedula parva, 37
Finch, House, 160, 170, 255, 257
Purple, 47–48, 255
Flicker, Northern, 220
Flycatcher, Acadian, 292
Alder, 106
Ash-throated, 106–107, 222
Cordilleran, 30
Dusky, 203, 221, 292
Dusky-capped, 98
Gray, 221, 286–295
Hammond's, 106, 221
Least, 30, 221, 310–316
Nutting's, 106–107, 108
Olive-sided, 30, 220
Pacific-slope, 30, 160, 221–222
Red-breasted, 37
Scissor-tailed, 223
Spotted, 37, 50, 51
Sulphur-bellied, 262
Vermilion, 56–58, 204, 222
Western, 30, 106, 160
Willow, 221, 292
Yellow-bellied, 92, 98, 106
Fratercula cirrhata, 29, 216
corniculata, 7, 9, 29
Fringilla montifringilla, 47
Fulica americana, 205
Fulmar, Northern, 9, 16, 170, 180
Fulmarus glacialis, 9, 16, 170, 180

Gadwall, 176
Gaede, Peter A., see Hamilton, R. A.
Gallinago delicata, 210
Gavia adamsii, 16, 50, 83, 103–104, 322
arctica, 15
immer, 15, 104, 170, 179, 322, 323
pacifica, 15, 179, 322–324
stellata, 15, 178–179
Gallinago delicata, 23
gallinago, 23
Garganey, 103
Geopelia cuneata, 263
Geothlypis trichas, 239, 242
Gnatcatcher, Blue-gray, 231, 287, 293
California, 131–134
Godwit, Bar-tailed, 20, 105, 108, 139
Black-tailed, 20
Hudsonian, 20, 94, 138–140
Marbled, 105, 139, 208

Goguen, Christopher B., David R. Curson, and Nancy E. Mathews. Breeding ecology of the Gray Flycatcher in pinyon–junipers woodlands in New Mexico, 286–295
Goldeneye, Barrow's, 259
Common, 178
Golden-Plover, American, 18, 49, 205
Pacific, 18, 205
Goldfinch, American, 48, 258
European, 78, 108, 263
Lawrence's, 258
Lesser, 258
Goose, Bean, 11
Cackling, 12, 78, 79, 175–176, 190
Canada, 12, 176
Emperor, 9, 11, 50, 82
Greater White-fronted, 11, 175, 190
Ross's, 175
Snow, 11–12
Grackle, Common, 103, 108
Great-tailed, 108
Grasshopper-Warbler, Middendorff's, 32, 35, 36, 51
Grebe, Clark's, 144–145, 180, 192
Eared, 179
Horned, 16, 179
Pied-billed, 179
Red-necked, 16, 170, 259
Western, 144, 145, 180
Greenshank, Common, 49
Grosbeak, Black-headed, 172, 250–251
Blue, 251
Rose-breasted, 250, 257, 314
Ground-Dove, Ruddy, 96–97
Grus canadensis, 18
Guillemot, Black, 27, 50
Pigeon, 9, 27, 214
Gull, Belcher's, 105–106
Black-headed, 24, 95
Black-tailed, 106
Bonaparte's, 105, 211
California, 170, 212
Franklin's, 211, 296
Glaucous, 25, 34, 261
Glaucous-winged, 25, 34, 212, 296, 297–299, 300
Heermann's, 170, 211
Herring, 24, 34, 212
Iceland, 261
Ivory, 26
Kelp, 296–297, 300
Laughing, 211, 296, 299–300
Lava, 296
Lesser Black-backed, 95
Little, 91, 94–95, 105
Mew, 24, 261
Ring-billed, 201, 212, 296
Ross's, 26, 34
Sabine's, 25, 212–213
Slaty-backed, 25, 34, 78, 79
Thayer's, 25, 34, 212
Western, 106, 212
Gymnorhinus cyanocephalus, 293
Gyrfalcon, 17–18, 93

Haematopus bachmani, 105, 122–123, 125, 206, 261, 336–337
palliatus, 105, 206, 261, 336–337
Haliaeetus leucocephalus, 194–195
Hamilton, Robert A., and Peter A. Gaede. Featured photo: Pink-sided × Gray-headed Juncos, 150–152
Harrier, Northern, 195–196, 197
Hawk, Broad-winged, 196, 197, 314
Cooper's, 259
Ferruginous, 261
Red-tailed, 169, 170, 197, 198–199
Rough-legged, 17
Sharp-shinned, 196
Zone-tailed, 90
Helmericks, James W., see Pandolfino, E. R.
Helmitheros vermivorus, 101–102
Heron, Black-crowned Night, 189
Great Blue, 187
Green, 188–189
Tricolored, 89
Heteroscelus brevipes, 20, 49
incanus, 19–20, 121, 123, 125, 127, 207
Himantopus mexicanus, 145, 206
Hirundo rustica, 31–32, 229
Histrionicus histrionicus, 9, 14
Howell, Steve N. G., Book reviews: San Diego County Bird Atlas; Oklahoma Breeding Bird Atlas, 67–70; Gulls of North America, Europe and Asia; Hummingbirds of North America, 146–149; Featured photo: Revisiting an old question: How many species of skua occur in the North Pacific?, 71–73
Hummingbird, Allen's, 160, 219
Anna's, 218
Black-chinned, 106, 218

Broad-billed, 97
Calliope, 219
Costa's, 218–219
Magnificent, 78, 79, 92, 97–98
Ruby-throated, 106, 262
Rufous, 30, 219
Hylocichla mustelina, 99

Ibis, Glossy, 88, 89, 105, 189
White-faced, 89, 145, 189, 195
Icteria virens, 242
Icterus bullockii, 47, 50, 172, 254
cucullatus, 254
galbula, 254, 314
parisorum, 255
pustulatus, 79, 103
spurius, 252, 254
Ictinia mississippiensis, 90
Ixoreus naevius, 232

Jaeger, Long-tailed, 24, 211
Parasitic, 24, 211
Pomarine, 23–24, 210–211
Jay, Blue, 314
Island Scrub, 160
Pinyon, 293
Steller's, 292
Western Scrub, 287, 292
Jones, H. Lee, see Rauzon, M. J.
Junco, Dark-eyed, 45, 150–152, 250
Junco hyemalis, 45, 150–152, 250
Jynx torquilla, 30

Kaler, Robb S. A., see Sullivan, B. L.
Kershner, Eric L., see Sullivan, B. L.
Kestrel, American, 199
Killdeer, 206
Kingbird, Cassin's, 223
Eastern, 223
Tropical, 222
Western, 223
Kingfisher, Belted, 219
Kinglet, Golden-crowned, 231
Ruby-crowned, 32, 231
Kite, Mississippi, 90
White-tailed, 192–193, 196
Kittiwake, Black-legged, 9, 25–26, 213
Knot, Great, 21, 49
Red, 21, 208
Kus, Barbara E., see Sharp, B. L.

Lagopus muta, 15
Lanius excubitor, 31
ludovicianus, 103, 158, 160, 171, 172, 204, 223–226
Lark, Horned, 31, 160, 170, 228
Sky, 31, 51
Larus argentatus, 24, 34, 212
atricilla, 211, 296, 299–300
belcheri, 105–106
californicus, 170, 212
canus, 24, 261
crassirostris, 106
delawarensis, 201, 212, 296
dominicanus, 296–297, 300
fuliginosus, 296
fuscus, 95
glaucescens, 25, 34, 212, 296, 297–299, 300
glaucoides, 261
heermanni, 170, 211
hyperboreus, 25, 34, 261
minutus, 91, 94–95, 105
occidentalis, 106, 212
philadelphia, 105, 211
pipixcan, 211, 296
ridibundus, 24, 95
schistisagus, 25, 34, 78, 79
thayeri, 25, 34, 212
Lehman, Paul E., Fall bird migration at Gambell, St. Lawrence Island, Alaska, 2–55
Leukering, Tony, see Faulkner, D.
Levad, Rich, see Faulkner, D.
Limnodromus griseus, 138, 209
scolopaceus, 22–23, 209–210
Limosa fedoa, 105, 138, 208
haemastica, 20, 94, 138–140
lapponica, 20, 105, 108, 139
limosa, 20
Locustella ochotensis, 32, 35, 36, 51
Longspur, Chestnut-collared, 250
Lapland, 45–46, 50, 250, 256
McCown's, 250, 256
Loon, Arctic, 15
Common, 15, 104, 170, 179, 322, 323
Pacific, 15, 179, 322–324
Red-throated, 15, 178–179
Yellow-billed, 16, 50, 83, 103–104, 322
Loxia curvirostra, 48
leucoptera, 48
Lukas, David, Book review: Atlas of the Breeding Birds of Humboldt County, California, 331–335
Lunda cirrhata, 29, 216
Luscinia calliope, 37

svecica, 7, 8, 37
Lynn, Suellen, see Sullivan, B. L.

Mallard, 12, 176
Martin, Purple, 228–229
Mathews, Nancy E., see Goguen, C. B.
McCaskie, Guy, see Billings, M. J.
McGrath, Todd, see San Miguel, M.
Meadowlark, Western, 252
Melanerpes formicivorus, 220
lewis, 219–220
Melanitta fusca, 14, 259
nigra, 14, 259
perspicillata, 177–178
Melospiza lincolnii, 43, 249
melodia, 160, 170, 248–249
Mellink, Eric, and Mónica Riojas-López, Breeding seabirds of Morros el Potosi, Guerrero, Mexico, 59–63; New breeding localities for the Snowy Plover in western Mexico, 141–143; see Castillo-Guerrero, J. A.
Merganser, Red-breasted, 15, 178
Mergus serrator, 15, 178
Merlin, 200, 202
Mlodinow, Steven G., Clark's Grebe in western Washington, 144–145; Least Flycatcher range expansion into Washington state, 310–316
Mniotilta varia, 238
Mockingbird, Northern, 232
Molothrus aeneus, 252
ater, 47, 65, 131, 252, 287, 293
Motacilla alba, 7, 39, 100
lugens, 39, 100
tschutschensis, 7, 8, 39, 49
Munkwitz, Nicole M., see Sullivan, B. L.
Murre, Common, 9, 26–27, 214
Thick-billed, 9, 27, 95–96, 106
Murrelet, Ancient, 28, 215
Craveri's, 215
Kittlitz's, 28
Long-billed, 106
Marbled, 28, 106
Xantus', 202, 214–215
Muscicapa striata, 37, 50, 51
Myadestes townsendi, 232
Myiarchus cinerascens, 106–107, 222
nuttingi, 106–107, 108
tuberculifer, 98
Myiodynastes luteiventris, 262

Nighthawk, Common, 262
Lesser, 262
Night-Heron, Black-crowned, 189
Noddy, Brown, 59, 62
Numenius americanus, 208
phaeopus, 20, 105, 123, 125, 127, 207
tahitiensis, 20, 105
Nuthatch, Red-breasted, 32, 230
Nycticorax nycticorax, 189

Oceanites oceanicus, 183
Oceanodroma furcata, 17
homochroa, 183
leucorhoa, 183, 192
melania, 183–184
microsoma, 184
Oenanthe oenanthe, 7, 8, 37–38, 49
Oporornis agilis, 102
philadelphia, 97, 102, 107, 263
tolmiei, 43, 107, 239
Oreoscoptes montanus, 233, 237
Oriole, Baltimore, 254, 314
Bullock's, 47, 50, 172, 254
Hooded, 254
Orchard, 252, 254
Scott's, 255
Streak-backed, 79, 103
Osprey, 191–192
Ovenbird, 239
Owl, Barred, 314
Boreal, 30
Burrowing, 217
Long-eared, 217
Northern Saw-whet, 30, 303–309
Short-eared, 30, 217
Snowy, 30, 78, 79, 80, 97
Oxyura jamaicensis, 178
Oystercatcher, American, 105, 206, 261, 336–337
Black, 105, 122–123, 125, 206, 261, 336–337

Pagophila eburnea, 26
Pandion haliaetus, 191–192
Pandolfino, Edward R., and James W. Helmericks, Changes in winter abundance of the Ruddy Turnstone along the coast of California, 121–130
Parula americana, 235
Parula, Northern, 235
Passer domesticus, 258
Passerculus sandwichensis, 43, 247, 255
Passerella iliaca, 43, 247–248
Passerina amoena, 158, 172, 251

ciris, 80,103, 108, 251
cyanea, 251, 314
Patagioenas fasciata, 216
Pelecanus cripus, 105
erythrorhynchos, 105, 145, 259
occidentalis, 187
onocrotalus, 105
rufescens, 78, 104–105, 108, 259
Pelican, American White, 105, 145, 259
Brown, 187
Dalmatian, 105
Great White, 105
Pink-backed, 78, 104–105, 108, 259
Peñaloza-Padilla, Erik, see Castillo-Guerrero, J. A.
Peterson, Bonnie L., see Sharp, B. L.
Petrel, Ashy Storm, 183
Black-capped, 78, 104
Black Storm, 183–184
Fork-tailed Storm, 17
Juan Fernandez, 85, 104
Leach's Storm, 183, 192
Least Storm, 184
Mottled, 83–84, 108
Murphy's, 180
White-necked, 104
Wilson's Storm, 183
Petrochelidon pyrrhonota, 229
Pewee, Eastern Wood, 98, 106
Greater, 98
Western Wood, 98, 106, 220–221, 287
Phaethon aethereus, 59–60, 184, 186, 193
rubricauda, 79, 87
Phainopepla, 234
Phainopepla nitens, 234
Phalacrocorax auritus, 170, 187
pelagicus, 9, 17, 187
penicillatus, 187
Phalaenoptilus nuttallii, 217–218
Phalarope, Red, 23, 210
Red-necked, 23, 210
Wilson's, 145, 201, 210
Phalaropus fulicarius, 23, 210
lobatus, 23, 210
tricolor, 145, 201, 210
Pheucticus ludovicianus, 250, 257, 314
melanocephalus, 172, 250–251
Philomachus pugnax, 22, 49
Phoebastria albatrus, 16, 83, 104, 169, 170, 263
immutabilis, 83, 135, 180
nigripes, 83, 104, 135, 180
Phoebe, Black, 114–120, 222
Eastern, 262, 314
Say's, 222, 329–330
Phylloscopus borealis, 7, 8, 36, 49
fuscatus, 35, 51
inornatus, 35–36, 51
trochilus, 35, 37, 51
Pigeon, Band-tailed, 216
Rock, 29, 216
Pintail, Northern, 13, 177
Pipilo chlorurus, 243
maculatus, 160, 170, 243, 245, 287
Pipit, American, 40, 42, 233
Olive-backed, 39
Pechora, 40, 41
Red-throated, 7, 8, 40, 233, 238
Sprague's, 100–101
Tree, 39, 51
Piranga ludoviciana, 172, 242–243, 293
olivacea, 102, 107, 242
rubra, 242
Platalea ajaja, 80, 90
Plectrophenax hyperboreus, 47
nivalis, 46–47, 50, 102–103, 250, 257
Plegadis chihi, 89, 145, 189, 195
falcinellus, 88, 39, 105, 189
Plissner, Jonathan H., see Sullivan, B. L.
Plover, American Golden, 18, 49, 205
Black-bellied, 18, 205
Common Ringed, 18–19
Greater Sand, 94
Lesser Sand, 18, 94
Mongolian, 18, 94
Mountain, 105, 206
Pacific Golden, 18, 205
Semipalmated, 19, 205–206
Snowy, 141–143, 172, 200, 205
Pluvialis dominica, 18, 49, 205
fulva, 18, 205
squatarola, 18, 205
Podiceps auritus, 16, 179
grisegena, 16, 170, 259
nigricollis, 179
Podilymbus podiceps, 179
Polioptila caerulea, 231, 287, 293
californica, 131–134
Polysticta stelleri, 13
Pooecetes gramineus, 245
Poorwill, Common, 217–218

Porzana carolina, 205
Prado-López, Miguel, see Castillo-Guerrero, J. A.
Priestley, Chuck, and Lisa Priestley, Results of a pilot study monitoring Northern Saw-whet Owl migration in central Alberta, Canada, 303–309
Priestley, Lisa, see Priestley, C.
Progne subis, 228–229
Protonotaria citrea, 101, 239
Prunella montanella, 38, 40, 50–51
Psaltriparus minimus, 131, 287
Ptarmigan, Rock, 15
Pterodroma cervicalis, 104
  externa, 85, 104
  hasitata, 78, 104
  inexpectata, 83–84, 108
  ultima, 180
Ptychoramphus aleuticus, 169, 170, 215
Puffin, Horned, 7, 9, 29
  Tufted, 29, 216
Puffinus assimilis, 78, 79, 86–87
  auricularis, 86, 87
  bulleri, 84, 170, 182
  carneipes, 182
  creatopus, 84, 170, 182
  gravis, 85
  griseus, 84, 182
  lherminieri, 86, 87
  opisthomelas, 104, 182–183
  pacificus, 104
  puffinus, 85–86, 104, 182
  tenuirostris, 9, 17, 50, 170, 182
Pyrocephalus rubinus, 56–58, 204, 222

Quail, California, 160, 178
  Gambel's, 178
Quiscalus mexicanus, 108
  quiscula, 103, 108

Rail, Virginia, 204–205
  Yellow, 78, 79, 80, 90, 93–94
Rallus limicola, 204–205
Rauzon, Mark J., and H. Lee Jones, First record of the Kelp Gull and significant records of the Glaucous-winged and Laughing Gulls for the central Pacific, 296–302
Raven, Common, 31, 50, 169, 170, 228
Recurvirostra americana, 206
Redhead, 258
Redpoll, Common, 46, 48, 78, 79, 80, 93, 103
  Hoary, 46, 48
Redstart, American, 43, 239, 311
Regulus calendula, 32, 231
  satrapa, 231
Renner, Heather M., see Benter, R. B.
Renner, Martin, see Benter, R. B.
Rhodostethia rosea, 26, 34
Riojas-López, Mónica, see Mellink, E.
Riparia riparia, 31, 229
Rissa tridactyla, 9, 25–26, 213
Robin, American, 38, 232
Rosefinch, Common, 47
Rosenberg, Gary H., see Tobish, T. G.
Rubythroat, Siberian, 37
Ruff, 22, 49
Rynchops niger, 202, 214

Salpinctes obsoletus, 230
Sanderling, 21, 208
Sandpiper, Baird's, 21–22, 209
  Buff-breasted, 22, 94, 200, 209
  Common, 49
  Curlew, 94, 105
  Least, 21, 49, 105, 209
  Pectoral, 22, 209
  Rock, 22, 33
  Semipalmated, 261
  Sharp-tailed, 22, 33, 49
  Solitary, 207
  Spotted, 207
  Stilt, 105
  Terek, 20
  Upland, 94
  Western, 21, 209
  White-rumped, 79, 94
  Wood, 19, 49
Sand-Plover, Greater, 94
  Lesser, 18, 94
San Miguel, Mike, and Todd McGrath, Report of the California Bird Records Committee: 2003 records, 78–113
Sapsucker, Red-breasted, 220
  Red-naped, 220
  Yellow-bellied, 314
Sauma, Luis, Roberto Carmona, and Georgina Brabata, First nesting record of the Black-bellied Whistling-Duck on the Baja California Peninsula, Mexico, 317–321
Saxicola torquatus, 38, 78, 79, 231,

237
Sayornis nigricans, 114–120, 222
phoebe, 262, 314
saya, 222, 329–330
Scaup, Greater, 13
Lesser, 177
Scoter, Black, 14, 259
Surf, 177–178
White-winged, 14, 259
Scrub-Jay, Island, 160
Western, 287, 292
Seiurus aurocapillus, 239
motacilla, 102
noveboracensis, 43, 239, 311
Selasphorus rufus, 30, 219
sasin, 160, 219
Setophaga ruticilla, 43, 239, 311
Sharp, Bryan L., Bonnie L. Peterson, and Barbara E. Kus, Puncture-ejection of own egg by Least Bell's Vireo and potential implications for anti-parasitism defense, 64–66
Shearwater, Audubon's, 86, 87
Black-vented, 104, 182–183
Buller's, 84, 170, 182
Cory's, 78, 79, 84–85, 86, 104
Flesh-footed, 182
Greater, 85
Little, 78, 79, 86–87
Manx, 85–86, 104, 182
Newell's, 86, 87
Pink-footed, 84, 170, 182
Short-tailed, 9, 17, 50, 170, 182
Sooty, 84, 182
Streaked, 104, 259
Townsend's, 86, 87
Wedge-tailed, 104
Shoveler, Northern, 12, 177
Shrike, Loggerhead, 103, 158, 160, 171, 172, 204, 223–226
Northern, 31
Sialia currucoides, 231
mexicana, 263
Siskin, Pine, 48, 258
Sitta canadensis, 32, 230
Skimmer, Black, 202, 214
Skua, Brown, 71, 72, 73
Great, 71
Chilean, 71
South Polar, 71, 72, 73, 210
Snipe, Common, 23
Wilson's, 23, 210
Solitaire, Townsend's, 232
Somateria fischeri, 13, 50
mollissima, 14, 78, 79
spectabilis, 13–14, 83
Sora, 205
Sparrow, American Tree, 43, 245
Baird's, 79, 100, 102
Black-chinned, 245
Black-throated, 246
Brewer's, 245
Cassin's, 244, 245
Chipping, 43, 245, 247, 248, 287
Clay-colored, 43, 50, 245, 248
Fox, 44, 247–248
Golden-crowned, 45, 249
Grasshopper, 107, 158, 247
Harris', 249
House, 258
Lark, 246
Le Conte's, 102, 107
Lincoln's, 44, 249
Rufous-crowned, 160
Sage, 158, 160, 171, 172, 246–247, 253
Savannah, 43, 247, 255
Song, 160, 170, 248–249
Vesper, 245
White-crowned, 44–45, 249
White-throated, 249, 314
Sphyrapicus nuchalis, 220
ruber, 200
varius, 314
Spiza americana, 251
Spizella arborea, 43, 245
atrogularis, 245
breweri, 245
pallida, 43, 50, 245, 248
passerina, 43, 245, 247, 248, 287
Spoonbill, Roseate, 80, 90
Starling, European, 233
Stelgidopteryx serripennis, 229
Stellula calliope, 219
Stercorarius chilensis, 71
longicaudus, 24, 211
lonnbergi, 71, 72, 73
maccormicki, 71, 72, 73, 210
parasiticus, 24, 211
pomarinus, 23–24, 210–211
skua, 71
Sterna anaethetus, 59, 61, 62
antillarum, 141
caspia, 213
elegans, 213
forsteri, 214
hirundo, 213
maxima, 213

nilotica, 141
paradisaea, 26, 213–214
Stilt, Black-necked, 145, 206
Stint, Long-toed, 21, 105
Red-necked, 21, 32
Temminck's, 21, 49
Stonechat, 38, 78, 79, 231, 237
Storm-Petrel, Ashy, 183
Black, 183–184
Fork-tailed, 17
Leach's, 183, 192
Least, 184
Wilson's, 183
Streptopelia chinensis, 261
decaocto, 216
orientalis, 78, 79, 96
Strix varia, 314
Sturnella neglecta, 252
Sturnus vulgaris, 233
Sula dactylatra, 87, 104, 186, 194, 325, 327, 328
granti, 104
leucogaster, 59, 60–61, 87–88, 109, 187, 195, 325, 326, 327, 328
nebouxii, 79, 87, 186, 325, 327, 328
sula, 88
Sullivan, Brian L., and Kershner, Eric L., with Jonathan J. Dunn, Robb S. A. Kaler, Suellen Lynn, Nicole M. Munkwitz, and Jonathan H. Plissner. The birds of San Clemente Island, 158–273
Surfbird, 123, 125, 208
Swallow, Bank, 31, 229
Barn, 31–31, 229
Cliff, 229
Northern Rough-winged, 229
Tree, 31, 229
Violet-green, 229
Swan, Bewick's, 12
Trumpeter, 82
Tundra, 12
Whistling, 12
Swift, Chimney, 218
Fork-tailed, 30
Vaux's, 218
White-throated, 218
Sylvia curruca, 35, 50, 51
Synthliboramphus antiquus, 28, 215
craveri, 215
hypoleucus, 202, 214–215

Tachycineta bicolor, 31, 229
thalassina, 229
Tanager, Scarlet, 102, 107, 242
Summer, 242
Western, 172, 242–243, 293
Tattler, Gray-tailed, 20, 49
Wandering, 19–20, 121, 123, 125, 127, 207
Teal, Blue-winged, 176–177
Cinnamon, 177
Green-winged, 13, 103, 177
Tern, Arctic, 26, 213–214
Black, 145, 214
Bridled, 59, 61–62
Caspian, 213
Common, 213
Elegant, 213
Forster's, 214
Gull-billed, 141
Least, 141
Royal, 213
Thalassarche cauta, 83, 135–137
Thrasher, Bendire's, 233
Brown, 233
Curve-billed, 99
Sage, 233, 237
Thrush, Eyebrowed, 38
Gray-cheeked, 7, 38, 107
Hermit, 38, 232
Swainson's, 38, 107, 232
Varied, 232
Wood, 99
Thryomanes bewickii, 131–134, 160, 170, 230
Tobish, Theodore G., Jr., and Gary H. Rosenberg. An unusual high count of Pacific Loons from a freshwater lake in British Columbia, 322–324
Toxostoma bendirei, 233
curvirostre, 99
rufum, 233
Towhee, Green-tailed, 243
Spotted, 160, 170, 243, 245, 287
Tringa flavipes, 207
glareola, 19, 49
melanoleuca, 207
nebularia, 49
solitaria, 207
Troglodytes aedon, 230–231
Tropicbird, Red-billed, 59–60, 184, 186, 193
Red-tailed, 79, 87
Tryngites subruficollis, 22, 94, 200, 209
Turdus migratorius, 38, 232
obscurus, 38

Turnstone, Black, 20–21, 122, 125, 127, 208
Ruddy, 20, 121–130, 208
Turtle-Dove, Oriental, 78, 79, 96
Tyrannus forficatus, 223
melancholicus, 222
tyrannus, 223
verticalis, 223
vociferans, 223
Tyto alba, 217

Uria aalge, 9, 26–27, 214
lomvia, 9, 27, 95–96, 106

Veery, 311
Vermivora celata, 42, 160, 170, 234
luciae, 235, 239
peregrina, 42, 234
pinus, 101, 263
ruficapilla, 42, 50, 235
virginiae, 235
Vireo, Bell's, 64–66, 226
Blue-headed, 78, 79, 80, 93, 98–99, 107
Cassin's, 99, 107, 226
Gray, 262
Hutton's, 107, 160, 226–227
Philadelphia, 227
Plumbeous, 293
Red-eyed, 227, 311, 313
Warbling, 31, 65, 227
White-eyed, 98
Yellow-green, 99, 227, 237
Yellow-throated, 98, 226
Vireo bellii, 64–66, 226
cassinii, 99, 107, 226
flavifrons, 98, 226
flavoviridis, 99, 227, 237
gilvus, 31, 65, 227
griseus, 98
huttoni, 107, 160, 226
olivaceus, 227, 311, 313
philadelphicus, 227
plumbeus, 293
solitarius, 78, 79, 80, 93, 98–99, 107
vicinior, 262
Vulture, Black, 79, 90
Turkey, 191

Wagtail, Black-backed, 39, 100
Eastern Yellow, 7, 8, 39, 49
White, 7, 39, 100
Warbler, Arctic, 7, 8, 36, 49
Bay-breasted, 101, 238
Black-and-white, 238
Blackburnian, 107, 236
Blackpoll, 43, 238
Black-throated Blue, 235
Black-throated Gray, 236
Black-throated Green, 236, 240
Blue-winged, 101, 263
Canada, 242, 243
Cape May, 235, 240
Chestnut-sided, 235
Connecticut, 102
Dusky, 35, 51
Grace's, 101, 107
Hermit, 236, 241
Lucy's, 235, 239
MacGillivray's, 43, 107, 239
Magnolia, 42, 235
Middendorff's Grasshopper, 32, 35, 36, 51
Mourning, 97, 102, 107, 263
Nashville, 42, 50, 235
Orange-crowned, 42, 160, 170, 234
Palm, 238
Pine, 96, 101
Prairie, 236, 238, 241
Prothonotary, 101, 239
Red-faced, 102
Tennessee, 42, 234
Townsend's, 43, 236
Virginia's, 235
Willow, 35, 37, 51
Wilson's, 43, 172, 242
Worm-eating, 101–102
Yellow, 42, 235
Yellow-browed, 35–36, 51
Yellow-rumped, 42, 235–236
Yellow-throated, 101, 236
Waterthrush, Louisiana, 102
Northern, 43, 239, 311
Waxwing, Bohemian, 42
Cedar, 234
Wehtje, Walter, Featured photo: Identifying hybrid oystercatchers in southern California, 336–337
Wheatear, Northern, 7, 37–38, 49
Whimbrel, 20, 105, 123, 125, 127, 207
Whistling-Duck, Black-bellied, 108, 317–321
Whitethroat, Lesser, 35, 50, 51
Wigeon, American, 176
Eurasian, 12
Wilsonia canadensis, 242, 243
pusilla, 43, 172

Woodpecker, Acorn, 220
Lewis's, 219–220
Wood-Pewee, Eastern, 98, 106
Western, 98, 106, 220–221, 287
Wren, Bewick's, 131–134, 160, 170, 230
Cactus, 263
Canyon, 263
House, 230–231
Marsh, 231
Rock, 230
Wryneck, Eurasian, 30

Xanthocephalus xanthocephalus, 252
Xema sabini, 25, 212–213
Xenus cinereus, 20

Yellowlegs, Greater, 207
Lesser, 207
Yellowthroat, Common, 239, 242

Zenaida asiatica, 216
macroura, 216
Zonotrichia albicollis, 249, 314
atricapilla, 45, 249
leucophrys, 44–45, 249
querula, 249